

MC 302

STEREO POWER AMPLIFIER

McIntosh
The Compendium



FRONT PANEL: Glass with LED/fiber-optic illuminated green/gold nomenclature. Left illuminated **POWER OUTPUT** meter (linear **WATTS** or **DECIBELS**). **LEFT** and **RIGHT POWER GUARD** LEDs. Right illuminated **POWER OUTPUT** meter (linear **WATTS** or **DECIBELS**). ⚡ Standby power on indicator. ⚡ **METER** mode switch: **LIGHTS OFF**, **WATTS** or **HOLD**. **POWER** switch: **OFF**, **REMOTE** or **ON**.



BACK PANEL: Polished stainless steel chassis. **INPUTS:** balanced Right, unbalanced Left and Right, balanced Left. ⚡ **POWER CONTROL** jacks: **IN** and **OUT 1 & 2**. ⚡ **INPUT MODE** switch: **BALANCED** or **UNBALANCED**. ⚡ **RIGHT OUTPUT** binding posts for **2 Ω**, **4 Ω** or **8 Ω** speakers. **FUSE**. **LEFT OUTPUT** binding posts for **2 Ω**, **4 Ω** or **8 Ω** speakers. ⚡ Power cord receptacle.

MC 302

STEREO POWER AMPLIFIER

McIntosh

The Compendium

SPECIFICATIONS: 300w/ch into 2, 4 or 8 ohms. **Response:** 20-20kHz. **Distortion:** 0.005%. **Signal to Noise Ratio:** -95dBa balanced, -93dBa unbalanced. **Output Impedance:** 2, 4, or 8 ohms. **Wide Band Damping Factor:** greater than 40. **Input Impedance:** 22K. **Input sensitivity:** 3.4v balanced and 1.7v unbalanced. **Dynamic Headroom:** 1.8 dB. Sentry Monitor. Power Guard. **Autoformers.** Power requirements 120V at 6.6 Amps.



MC 302 - Sold from 2011 - 2021. S/N: AAV1001~?????

Size: 9-7/16"H, 17-1/2"W and 22"D. **Weight:** 98 lbs.

\$5,500.00