

MC 452

STEREO POWER AMPLIFIER

McIntosh

The Compendium



FRONT PANEL: LED/fiber-optic illuminated green/gold nomenclature. Left illuminated POWER OUTPUT meter (linear WATTS or DECIBELS). LEFT and RIGHT POWER GUARD LEDs. Right illuminated POWER OUTPUT meter (linear WATTS or DECIBELS). ⚡ Standby power on indicator. ⚡ METER mode switch: LIGHTS OFF, WATTS or HOLD. POWER switch: OFF, REMOTE or ON. Handles.



BACK PANEL: RIGHT and LEFT BALANCED audio INPUT. RIGHT UNBALANCED audio INPUT and OUTPUT. LEFT UNBALANCED audio INPUT and OUTPUT. RIGHT and LEFT BALANCED audio OUTPUT. POWER CONTROL jacks: IN OUT 1 and OUT 2. INPUT MODE switch: BALANCED or UNBALANCED. ⚡ Gold plated speaker terminals: RIGHT OUTPUTS - 2 Ω + and -, 4 Ω + and -, 8 Ω + and -. LEFT OUTPUTS terminals: 8 Ω + and -, 4 Ω + and -, 2 Ω + and -. ⚡ Power cord receptacle.

SPECIFICATIONS: 450w/ch into 2, 4 or 8 Ω . **Response:** 20-20kHz. **Distortion:** 0.005%. **Signal to Noise Ratio:** -95dBA balanced, -93dBA unbalanced. **Output Impedance:** 2, 4 and 8 ohms. **Wide Band Damping Factor:** 40 or greater. **Input Impedance:** 22k. **Input Sensitivity:** 4.2v balanced, 2.1v unbalanced. **Dynamic Headroom:** 1.8dB. *Autoformers. Sentry Monitor. Quad Balanced™. Power Guard.* Power requirements 120V at 10 Amps.

MC 452

STEREO POWER AMPLIFIER

McIntosh
The Compendium



MC 452 - Sold from 2011 - 2020. S/N: ACF1001~ACF????

Size: 9-7/16"H, 17-1/2"W and 22"D. **Weight:** 110 lb. **\$7,500.00**